

Product Datasheet

Recombinant PreScission Protease Low Endotoxin Protein NBP2-61443-100IU

Unit Size: 100 IU

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-61443

Updated 8/24/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-61443



NBP2-61443-100IU**Recombinant PreScission Protease Low Endotoxin Protein**

Product Information	
Unit Size	100 IU
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Preservative	No Preservative
Purity	Peptide affinity purified
Buffer	50 mM Tris-HCl, pH 7.0, 150 mM NaCl, 1 mM EDTA, and 1 mM DTT.
Target Molecular Weight	43 kDa
Product Description	
Description	PreScission protease is a cysteine protease derived from human rhinovirus - HRV3C Protease. rPP is a fusion protein of glutathione S-transferase (GST) and human rhinovirus (HRV) type 14 3C protease. One unit is defined as the amount of enzyme needed to cleave 100 ug of fusion protein in 16 hours to 90 % completion at 5 °C in a buffer containing 50 mM Tris-HCl, pH 7.0, 150 mM NaCl, 1 mM EDTA, and 1 mM DTT. Source: <i>E. coli</i>
Specificity/Sensitivity	The protease specifically recognizes a subset of sequences which include the core amino acid sequence Leu-Phe-Gln/Gly-Pro cleaving between the Gln and Gly residues. Substrate recognition and cleavage are likely to be dependent not only upon primary structural signals, but also upon the secondary and tertiary structures of the fusion protein as well.
Details of Functionality	The protease specifically recognizes a subset of sequences which include the core amino acid sequence Leu-Phe-Gln/Gly-Pro cleaving between the Gln and Gly residues.
Endotoxin Note	Less than 0.1 EU/ug of PreScission Protease as determined by LAL method.
Product Application Details	
Applications	Bioactivity
Recommended Dilutions	Bioactivity
Application Notes	Chill to 5C prior to use During cleavage reactions, it is recommended that samples be removed at various time points and analyzed by SDS-PAGE to estimate the yield, purity, and extent of digestion. The amount of PreScission Protease, temperature and length of incubation required for complete digestion of a given GST fusion partner may vary depending on the fusion partner. It works most effective at 4C but can digest substrates at room temperature. Optimal conditions for each fusion should be determined in pilot experiments. Digestion may be improved by adding Triton™ X-100, Tween™ 20 or Nonidet™ P40 to a concentration of 0.01 %. Concentrations of these detergents up to 1 % do not inhibit PreScission Protease.



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-61443-100IU

NBP2-61442-100IU	Recombinant PreScission Protease Protein
------------------	--

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Peptides and proteins are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-61443

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

