

Product Datasheet

CD9 Antibody (SA35-08)

NBP2-67310

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67310

Updated 2/24/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67310



NBP2-67310

CD9 Antibody (SA35-08)


Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SA35-08
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit CD9 Antibody (SA35-08) (NBP2-67310) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow, ICC/IF and IP. Anti-CD9 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	928
Gene Symbol	CD9
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human CD9 aa 179-228 / 228. (SwissProt: P21926 Human; SwissProt: P40240 Mouse; SwissProt: P40241 Rat)


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500-1:1000, Flow Cytometry 1:50, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunoprecipitation, Immunohistochemistry-Paraffin 1:50-1:200

Images


Western Blot: CD9 Antibody (SA35-08) [NBP2-67310] - Exosome or whole cell lysates (WCL) sample from MDA-MB-231 cells was loaded with 10 ug/lane. 10% SDS-PAGE. CD9 Antibody (NBP2-67310) was used for primary antibody: 1:1000, 4C, overnight. Image from verified customer review.




Immunocytochemistry/Immunofluorescence: CD9 Antibody (SA35-08) [NBP2-67310] - Staining CD9 in SW480 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310] - Immunohistochemical analysis of paraffin-embedded mouse spleen tissue using anti-CD9 antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 m




Immunocytochemistry/Immunofluorescence: CD9 Antibody (SA35-08) [NBP2-67310] - Staining CD9 in CRC cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310] - Analysis of paraffin-embedded human kidney tissue using anti-CD9 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310]
- Analysis of paraffin-embedded human spleen tissue using anti-CD9 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310]
- Analysis of paraffin-embedded human tonsil tissue using anti-CD9 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310]
- Analysis of paraffin-embedded mouse brain tissue using anti-CD9 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310]
- Analysis of paraffin-embedded mouse spleen tissue using anti-CD9 antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310]
 - Immunohistochemical analysis of paraffin-embedded human spleen tissue using anti-CD9 antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 m



Immunohistochemistry-Paraffin: CD9 Antibody (SA35-08) [NBP2-67310]
 - Immunohistochemical analysis of paraffin-embedded human tonsil tissue using anti-CD9 antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 m



Publications

Liu L, Bano F, Conca D et al. Recruitment of apolipoprotein E facilitates Herpes simplex virus 1 attachment and release. *Npj viruses* 2025-02-22 [PMID: 40295730]

Kapustin A, Tsakali S, Whitehead M et al. Matrix-associated extracellular vesicles modulate human smooth muscle cell adhesion and directionality by presenting collagen VI *eLife* 2025-09-30 [PMID: 41025959]

Sadri M, Hirosawa N, Le J et al. Tumor necrosis factor receptor-1 is selectively sequestered into Schwann cell extracellular vesicles where it functions as a TNF alpha decoy *Glia* 2021-09-24 [PMID: 34559433]

Cabiati M, Randazzo E, Guiducci L et al. Evaluation of Exosomal Coding and Non-Coding RNA Signature in Obese Adolescents *International Journal of Molecular Sciences* 2022-12-21 [PMID: 36613584]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-67310

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67310

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

