

Product Datasheet

RBFOX3/NeuN Antibody (SR45-07) NBP2-67314

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67314

Updated 2/24/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67314



NBP2-67314

RBFOX3/NeuN Antibody (SR45-07)


Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SR45-07
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Target Molecular Weight	34 kDa

Product Description	
Description	Novus Biologicals Rabbit RBFOX3/NeuN Antibody (SR45-07) (NBP2-67314) is a recombinant monoclonal antibody validated for use in Multiplex Immunofluorescence, IHC, WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	146713
Gene Symbol	RBFOX3
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within human RBFOX3/NeuN aa 20-60. (SwissProt: A6NFN3 Human; SwissProt: Q8BIF2 Mouse; Unigene:143966 Rat)


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Multiplex Immunofluorescence
Recommended Dilutions	Western Blot 1:500, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:200-1:500, Immunohistochemistry-Frozen 1:50-1:100, Multiplex Immunofluorescence 1:10000

Images


Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Human brain tissue using anti-NeuN antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH₂O and PBS, and then probed with the primary antibody (1/200) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.




Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of paraffin-embedded mouse cerebellum tissue using anti-NeuN antibody. Counter stained with hematoxylin.




Western Blot: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of RBFOX/NeuN on different lysates with Rabbit anti-RBFOX/NeuN antibody at 1/500 dilution. Lane 1: Rat cerebellum tissue lysate Lane 2: Mouse cerebellum tissue lysate Lysates/proteins at 20 ug/Lane. Predicted band size: 34 kDa Observed band size: 45/50 kDa Exposure time: 2 minutes; 12% SDS-PAGE gel. Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody at 1/500 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:300,000 dilution was used for 1 hour at room temperature.




Immunocytochemistry/Immunofluorescence: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of SHG-44 cells labeling RBFOX3/NeuN with Rabbit anti-RBFOX3/NeuN antibody (permeabilized with 0.05% Triton X-100 in PBS for 20 minutes, and then blocked with 2% negative goat serum for 30 minutes at room temperature. Cells were then incubated with Rabbit anti-NeuN antibody was used as the secondary antibody at 1/1,000 dilution. PBS instead of the primary antibody was used as the secondary antibody only control. Nuclear DNA was labelled in blue with DAPI.




Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Immunofluorescence analysis of paraffin-embedded Rat cerebellum tissue labeling NeuN (washed with PBS. And then probed with the primary antibodies NeuN (Green) at 1/50 dilution and GFAP (Red) at 1/500 dilution overnight at 4 , washed with PBS. iFluor(TM) 488 conjugate-Goat anti-Rabbit IgG and iFluor(TM) 594 conjugate-Goat anti-Mouse IgG were used as the secondary antibody at 1/1,000 dilution. DAPI was used as nuclear counterstain.




Flow Cytometry: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of SH-SY-5Y cells with NeuN antibody at 1/50 dilution (blue) compared with an unlabelled control (cells without incubation with primary antibody; red). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.




Western Blot: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of NeuN on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% BSA in PBS for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:5,000 dilution was used for 1 hour at room temperature. Positive control: Lane 1: human brain tissue lysate Lane 2: rat brain tissue lysate Lane 3: mouse brain tissue lysate




Immunocytochemistry/Immunofluorescence: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Staining NeuN in SH-SY-5Y cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Mouse brain tissue using anti-NeuN antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH₂O and PBS, and then probed with the primary antibody (1/200) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.



Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Rat brain tissue using anti-NeuN antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH₂O and PBS, and then probed with the primary antibody (1/200) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.




Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Immunohistochemical analysis of paraffin-embedded mouse cerebellum tissue using anti-RBFOX3/NeuN antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5%




Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of paraffin-embedded mouse brain tissue with Rabbit anti-ROBX3/NeuN antibody washed with ddH₂O and PBS, and then probed with the primary antibody at 1/500 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.




Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of paraffin-embedded rat brain tissue with Rabbit anti-RBFOX3/NeuN antibody washed with ddH₂O and PBS, and then probed with the primary antibody at 1/500 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.



Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of paraffin-embedded mouse hippocampus tissue with Rabbit anti-RBFOX3/NeuN antibody washed with ddH₂O and PBS, and then probed with the primary antibody at 1/500 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.



Immunohistochemistry-Paraffin: RBFOX3/NeuN Antibody (SR45-07) [NBP2-67314] - Analysis of paraffin-embedded rat hippocampus tissue with Rabbit anti-RBFOX/NeuN antibody washed with ddH₂O and PBS, and then probed with the primary antibody at 1/500 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-67314

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67314

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

