

Product Datasheet

FAK Antibody (SR46-04) NBP2-67327

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67327

Updated 2/24/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67327



NBP2-67327

FAK Antibody (SR46-04)


Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SR46-04
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit FAK Antibody (SR46-04) (NBP2-67327) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow, ICC/IF and IP. Anti-FAK Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	5747
Gene Symbol	PTK2
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within human FAK aa 700-740. (SwissProt: Q05397 Human; SwissProt: P34152 Mouse; SwissProt: O35346 Rat)


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500-1:2000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunoprecipitation, Immunohistochemistry-Paraffin 1:50-1:200

Images


Western Blot: FAK Antibody (SR46-04) [NBP2-67327] - Western blot analysis of FAK on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% BSA in PBS for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbi




Immunocytochemistry/Immunofluorescence: FAK Antibody (SR46-04) [NBP2-67327] - Staining FAK in PANC-1 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: FAK Antibody (SR46-04) [NBP2-67327] - Immunohistochemical analysis of paraffin-embedded mouse spleen tissue using anti-FAK antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 m




Flow Cytometry: FAK Antibody (SR46-04) [NBP2-67327] - Analysis of HeLa cells with FAK antibody at 1/50 dilution (blue) compared with an unlabelled control (cells without incubation with primary antibody; red). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.




Western Blot: FAK Antibody (SR46-04) [NBP2-67327] - Analysis of FAK on different lysates using anti-FAK antibody at 1/1,000 dilution. Positive control: Lane 1: HeLa Lane 2: Mouse spleen




Immunocytochemistry/Immunofluorescence: FAK Antibody (SR46-04) [NBP2-67327] - Staining FAK in SH-SY-5Y cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: FAK Antibody (SR46-04) [NBP2-67327] - Analysis of paraffin-embedded human spleen tissue using anti-FAK antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: FAK Antibody (SR46-04) [NBP2-67327] - Analysis of paraffin-embedded mouse brain tissue using anti-FAK antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: FAK Antibody (SR46-04) [NBP2-67327] - Analysis of paraffin-embedded mouse spleen tissue using anti-FAK antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: FAK Antibody (SR46-04) [NBP2-67327]
 - Analysis of paraffin-embedded human liver cancer tissue using anti-FAK antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: FAK Antibody (SR46-04) [NBP2-67327]
 - Immunohistochemical analysis of paraffin-embedded human spleen tissue using anti-FAK antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 m



Immunohistochemistry-Paraffin: FAK Antibody (SR46-04) [NBP2-67327]
 - Immunohistochemical analysis of paraffin-embedded mouse kidney tissue using anti-FAK antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 m



Publications

Lee S, Balcazar J, Davis K et al. The polarity protein Par3 enhances renal cell carcinoma metastasis via YAP/TAZ activation *Cancer Biology & Medicine* 2025-07-15 [PMID: 40626835]

Mitra D, Bhattacharyya S, Alam N et al. Phosphorylation of EphA2 receptor and vasculogenic mimicry is an indicator of poor prognosis in invasive carcinoma of the breast *Breast Cancer Res. Treat.* 2019-11-04 [PMID: 31686261]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-67327

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67327

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

