

Product Datasheet

Vitronectin Antibody (ST49-02) NBP2-67511

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67511

Updated 2/24/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67511



NBP2-67511

Vitronectin Antibody (ST49-02)


Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	ST49-02
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit Vitronectin Antibody (ST49-02) (NBP2-67511) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	7448
Gene Symbol	VTN
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human Vitronectin aa 429-478 / 478. (SwissProt: P04004 Human; SwissProt: P29788 Mouse; SwissProt: Q3KR94 Rat)


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000-1:5000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:400

Images


Western Blot: Vitronectin Antibody (ST49-02) [NBP2-67511] - Analysis of Vitronectin on different lysates using anti-Vitronectin antibody at 1/1,000 dilution. Positive control: Lane 1: Human liver Lane 2: Human serum




Immunocytochemistry/Immunofluorescence: Vitronectin Antibody (ST49-02) [NBP2-67511] - Staining Vitronectin in MCF-7 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: Vitronectin Antibody (ST49-02) [NBP2-67511] - Immunohistochemical analysis of paraffin-embedded human skin tissue using anti-Vitronectin antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH₂O and PBS, and then probed with the primary antibody (ET1609-39, 1/200) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.




Immunocytochemistry/Immunofluorescence: Vitronectin Antibody (ST49-02) [NBP2-67511] - Staining Vitronectin in A431 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunocytochemistry/Immunofluorescence: Vitronectin Antibody (ST49-02) [NBP2-67511] - Staining Vitronectin in A549 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunocytochemistry/Immunofluorescence: Vitronectin Antibody (ST49-02) [NBP2-67511] - Staining Vitronectin in HepG2 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: Vitronectin Antibody (ST49-02) [NBP2-67511] - Analysis of paraffin-embedded human liver cancer tissue using anti-Vitronectin antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: Vitronectin Antibody (ST49-02) [NBP2-67511] - Analysis of paraffin-embedded human liver tissue using anti-Vitronectin antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: Vitronectin Antibody (ST49-02) [NBP2-67511] - Analysis of paraffin-embedded mouse liver tissue using anti-Vitronectin antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: Vitronectin Antibody (ST49-02) [NBP2-67511] - Analysis of paraffin-embedded mouse skin tissue using anti-Vitronectin antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: Vitronectin Antibody (ST49-02) [NBP2-67511] - Immunohistochemical analysis of paraffin-embedded human liver tissue using anti-Vitronectin antibody. The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 8.0-8.4) for 20 minutes. The tissues were blocked in 5% BSA for 30 minutes at room temperature, washed with ddH₂O and PBS, and then probed with the primary antibody (ET1609-39, 1/50) for 30 minutes at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-67511

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67511

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

