

Product Datasheet

TSG101 Antibody (JJ0900)

NBP2-67884

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-67884

Updated 2/24/2026 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-67884



NBP2-67884

TSG101 Antibody (JJ0900)


Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JJ0900
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol

Product Description	
Description	Novus Biologicals Rabbit TSG101 Antibody (JJ0900) (NBP2-67884) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow, ICC/IF and Simple Western. Anti-TSG101 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	7251
Gene Symbol	TSG101
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human TSG101 aa 24-73 / 390. (SwissProt: Q99816 Human; SwissProt: Q61187 Mouse; SwissProt: Q6IRE4 Rat)


Product Application Details	
Applications	Western Blot, Simple Western, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockdown Validated
Recommended Dilutions	Western Blot 1:2,000, Simple Western, Flow Cytometry 1:1,000, Immunohistochemistry 1:50-1:1,000, Immunocytochemistry/ Immunofluorescence IF-Cell-1:200, IF-Tissue-1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:1,000, Knockdown Validated
Application Notes	See Simple Western Antibody Database for Simple Western validation: separated by Size

Images


Western Blot: TSG101 Antibody (JJ0900) [NBP2-67884] - Analysis of TSG101 on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% BSA in PBS for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:5,000 dilution was used for 1 hour at room temperature. Positive control: Lane 1: NIH/3T3 cell lysate Lane 2: Hela cell lysate




Immunocytochemistry/Immunofluorescence: TSG101 Antibody (JJ0900) [NBP2-67884] - Staining TSG101 in SW480 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: TSG101 Antibody (JJ0900) [NBP2-67884] - Analysis of paraffin-embedded mouse kidney tissue using anti-TSG101 antibody. Counter stained with hematoxylin.




Flow Cytometry: TSG101 Antibody (JJ0900) [NBP2-67884] - Analysis of K562 cells with TSG101 antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.




Immunocytochemistry/Immunofluorescence: TSG101 Antibody (JJ0900) [NBP2-67884] - Staining TSG101 in A431 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunocytochemistry/Immunofluorescence: TSG101 Antibody (JJ0900) [NBP2-67884] - Staining TSG101 in Hela cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: TSG101 Antibody (JJ0900) [NBP2-67884] - Analysis of paraffin-embedded human colon cancer tissue using anti-TSG101 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: TSG101 Antibody (JJ0900) [NBP2-67884] - Analysis of paraffin-embedded human kidney tissue using anti-TSG101 antibody. Counter stained with hematoxylin.




Immunohistochemistry-Paraffin: TSG101 Antibody (JJ0900) [NBP2-67884] - Analysis of paraffin-embedded mouse colon tissue using anti-TSG101 antibody. Counter stained with hematoxylin.



Western Blot: TSG101 Antibody (JJ0900) [NBP2-67884] - Analysis of TSG101 with anti-TSG101 antibody [JJ0900] at 1:500 dilution. Lane 1: Wild-type Hela whole cell lysate (10 ug). Lane 2/3: TSG101 knockdown Hela whole cell lysate (10 ug). NBP2-67884 was shown to specifically react with TSG101 in wild-type Hela cells. Weakened bands were observed when TSG101 knockdown samples were tested. Wild-type and TSG101 knockdown samples were subjected to SDS-PAGE. Proteins were transferred to a PVDF membrane and blocked with 5% NFDM in TBST for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG-HRP Secondary Antibody at 1:200,000 dilution was used for 1 hour at room temperature.



Simple Western: TSG101 Antibody (JJ0900) [NBP2-67884] - Simple Western Lane view shows K562 whole cell lysate (WCL). A specific band was detected for TSG101 antibody (NBP2-67884) at approximately 53 kDa (as indicated) using 1:50 ug/mL of TSG101 antibody. This experiment was conducted under reducing conditions.



Publications

Brambilla D, Panico F, Unlu M, Chiari M Sequential separation and profiling of extracellular vesicles using antibody-aptamer conjugates ChemRxiv 2023-11-29 (WB, Human)

Haney MJ, Zhao Y, Jin YS, Batrakova EV Extracellular Vesicles as Drug Carriers for Enzyme Replacement Therapy to Treat CLN2 Batten Disease: Optimization of Drug Administration Routes Cells 2020-05-20 [PMID: 32443895] (Simple Western, Mouse)

Haney, MJ;Klyachko, NL;Harrison, EB;Zhao, Y;Kabanov, AV;Batrakova, EV; TPP1 Delivery to Lysosomes with Extracellular Vesicles and their Enhanced Brain Distribution in the Animal Model of Batten Disease Adv Healthc Mater 2019-04-18 [PMID: 30997751] (WB, Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-67884

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67884

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

