

Product Datasheet

Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) NBP2-75578

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-75578

Updated 2/24/2026 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-75578



NBP2-75578**Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31)**


Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JU53-31
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Target Molecular Weight	85 kDa

Product Description	
Description	Novus Biologicals Rabbit Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) (NBP2-75578) is a recombinant monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. Anti-Muscle Phosphofructokinase/PFKM/PFK-1 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	5213
Gene Symbol	PFKM
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human Muscle Phosphofructokinase/PFKM/PFK-1 aa 107-156 / 780. (SwissProt: P08237 Human; SwissProt: P47857 Mouse; SwissProt: P47858 Rat)


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:2000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:200

Images


Western Blot: Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] - Western blot analysis of Muscle Phosphofructokinase/PFKM/PFK-1 on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% BSA in PBS for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody (HA1001) at 1:5,000 dilution was used for 1 hour at room temperature. Positive control: Lane 1: HepG2 cell lysate Lane 2: PC-3M cell lysate




Immunocytochemistry/Immunofluorescence: Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] - Staining Fructose 6 Phosphate Kinase in SH-SY-5Y cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] - Analysis of paraffin-embedded rat brain tissue using anti-Fructose 6 Phosphate Kinase antibody. Counter stained with hematoxylin.




Flow Cytometry: Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] - Analysis of SH-SY-5Y cells with Fructose 6 Phosphate Kinase antibody at 1/100 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti-rabbit IgG was used as the secondary antibody.




Immunocytochemistry/Immunofluorescence: Muscle Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] - Staining Fructose 6 Phosphate Kinase in LOVO cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunocytochemistry/Immunofluorescence: Muscle
Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] -
Staining Fructose 6 Phosphate Kinase in PC-3M cells (green). The
nuclear counter stain is DAPI (blue). Cells were fixed in
paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: Muscle
Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] -
Analysis of paraffin-embedded human liver cancer tissue using anti-
Fructose 6 Phosphate Kinase antibody. Counter stained with
hematoxylin.




Immunohistochemistry-Paraffin: Muscle
Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] -
Analysis of paraffin-embedded human thyroid gland tissue using anti-
Fructose 6 Phosphate Kinase antibody. Counter stained with
hematoxylin.



Immunohistochemistry-Paraffin: Muscle
Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] -
Analysis of paraffin-embedded human kidney tissue using anti-Fructose
6 Phosphate Kinase antibody. Counter stained with hematoxylin.



Immunohistochemistry-Paraffin: Muscle
Phosphofructokinase/PFKM/PFK-1 Antibody (JU53-31) [NBP2-75578] -
Analysis of paraffin-embedded mouse skeletal muscle tissue using anti-
Fructose 6 Phosphate Kinase antibody. Counter stained with
hematoxylin.



Publications

Toshihide Kashihara, Risa Mukai, Shin-ichi Oka, Peiyong Zhai, Yasuki Nakada, Zhi Yang, Wataru Mizushima, Tsutomu Nakahara, Junco S. Warren, Maha Abdellatif, Junichi Sadoshima YAP mediates compensatory cardiac hypertrophy through aerobic glycolysis in response to pressure overload The Journal of Clinical Investigation 2022-03-15 [PMID: 35133975]

Lin S, Yin S, Shi J et al. Orchestration of energy metabolism and osteogenesis by Mg²⁺ facilitates low-dose BMP-2-driven regeneration Bioactive Materials 2022-12-01 [PMID: 35387176] (IF/IHC, Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-75578

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-75578

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

