

Product Datasheet

beta-Actin Antibody (8H10D10) - Azide and BSA Free NBP2-80595

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-80595

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-80595



NBP2-80595

beta-Actin Antibody (8H10D10) - Azide and BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	8H10D10
Preservative	No Preservative
Isotype	IgG2b
Purity	Ammonium sulfate precipitation
Buffer	PBS
Target Molecular Weight	42 kDa


Product Description	
Description	Novus Biologicals Mouse beta-Actin Antibody (8H10D10) - Azide and BSA Free (NBP1-47423) is a monoclonal antibody validated for use in WB, ELISA, Flow, ICC/IF and Simple Western. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	60
Gene Symbol	ACTB
Species	Human, Mouse, Rat, Chinese Hamster, Primate
Immunogen	This beta-Actin Antibody (8H10D10) was made to a synthetic peptide corresponding to amino-terminal residues of human Beta Actin, conjugated to KLH. [UniProt# P60709]

Product Application Details	
Applications	Western Blot, Simple Western, ELISA, Flow Cytometry, Immunoblotting, Immunocytochemistry/ Immunofluorescence, CyTOF-ready
Recommended Dilutions	Western Blot 1:1000-1:5000, Simple Western 12.5, Flow Cytometry 1:200-1:400, ELISA 1:10000, Immunocytochemistry/ Immunofluorescence 1:200-1:1000, Immunoblotting reported in scientific literature (PMID 27903531), CyTOF-ready
Application Notes	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See Simple Western Antibody Database for Simple Western validation: antibody dilution of 12.5. Separated by Size-Wes, Sally Sue/Peggy Sue.




Images


Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Western blot of pancreatic cell lines (CAPAN2, PATU8988T, DANG, and PANC1005). Primary antibody: beta-Actin (8H10D10), NBP1-47423, 1:1000 dilution. Secondary antibody: HRP conjugated Mouse IgG (H+L), NB7539. A specific band can be observed at a molecular weight of approximately 42 kDa. Image from verified customer review using the standard format of this antibody.




Immunocytochemistry/Immunofluorescence: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Beta actin was detected in NIH-3T3 cells fixed with methanol using mouse anti-mouse beta-Actin monoclonal antibody (NBP1-47423) at 1:5400 dilution. Cells were stained using NorthernLights 557 conjugated anti-mouse secondary antibody (NL007) and counterstained with DAPI. Image from the standard format of this antibody.




Flow Cytometry: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Analysis of MCF-7 cells using anti-Beta Actin mAb (right) and negative control (left). Image from the standard format of this antibody.




Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Analysis of Beta Actin expression in 1) HeLa 2) HepG2 and 3) Cos7 whole cell lysates. Image from the standard format of this antibody.




Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Analysis using anti-Beta Actin mAb against human, mouse, hamster, rat, and primate cell lysate(s): (1) NIH/3T3, (2) Jurkat, (3) HeLa, (4) CHO, (5) PC12, (6) HEK293, (7) COS, (8) A549, and (9) MCF-7. A specific band can be observed at a molecular weight of approximately 43 kDa in all lanes. Image from the standard format of this antibody.




Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Lysates of HeLa human cervical epithelial carcinoma cell line, A431 human epithelial carcinoma cell line, K562 human chronic myelogenous leukemia cell line, NIH-3T3 mouse embryonic fibroblast cell line, and C6 rat glioma cell line were probed with 1:2500 mouse anti-beta-Actin monoclonal (NBP1-47423) followed by 1:2000 dilution of donkey anti-mouse IgG-HRP secondary antibody (HAF018). Image from the standard format of this antibody.




Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Three different human cancer cell lines (SW780, BT-20, and CLS439) were probed with the antibody. Image from verified customer review. Image from the standard format of this antibody.



Western Blot: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - TTF-1 alters the phosphorylation of GSK3alpha/beta. (A) Panels of immunoblot images examining total GSK3alpha/beta and phosphorylation at specific Ser or Tyr residues in A549 transfectant cells. Beta-Actin is included as a loading control. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/s41598-019-44549-w>), licensed under a CC-BY license. Image from the standard format of this antibody.



Flow Cytometry: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Analysis of HeLa cells using mouse Monoclonal beta-Actin antibody (Orange) and Isotype control Antibody (Blue). Image from the standard format of this antibody.



Simple Western: beta-Actin Antibody (8H10D10) - Azide and BSA Free [NBP2-80595] - Image shows a specific band for Beta Actin in 1.0 mg/mL of HeLa lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system. Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-80595

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80595

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

