

Product Datasheet

Caspase-11 Antibody (17D9) - Azide and BSA Free NBP2-80612

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-80612

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-80612



NBP2-80612


Caspase-11 Antibody (17D9) - Azide and BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	17D9
Preservative	No Preservative
Isotype	IgG2a
Purity	Protein G purified
Buffer	PBS
Target Molecular Weight	60 kDa
Product Description	
Description	Novus Biologicals Knockout (KO) Validated Rat Caspase-11 Antibody (17D9) - Azide and BSA Free (NB120-10454) is a monoclonal antibody validated for use in IHC, WB, ELISA, Flow, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rat
Gene ID	12363
Gene Symbol	Casp4
Species	Human, Mouse, Rat, Bovine
Immunogen	A recombinant p30 subunit of mouse Caspase 11. [UniProt# P70343]
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, ELISA, Flow Cytometry, Immunoblotting, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation, Microarray, CyTOF-ready, Knockdown Validated, Knockout Validated
Recommended Dilutions	Western Blot 5 ug/ml, Flow Cytometry reported in scientific literature (PMID 27708283), ELISA, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:100, Immunoprecipitation reported in scientific literature (PMID 10791975), Immunohistochemistry-Paraffin 1:100, Immunohistochemistry-Frozen 1:10-1:500, Immunoblotting reported in scientific literature (PMID 28345580), Microarray, CyTOF-ready, Knockout Validated, Knockdown Validated




Images


Western Blot: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - Mouse liver extract was separated on a 4-15% gel and transferred to PVDF membrane. The membrane was probed with anti-caspase 11 antibody and detected with an anti-mouse HRP secondary antibody. Both procaspase 11 and fully cleaved caspase 11 are detected. Image from the standard format of this antibody.




Immunocytochemistry/Immunofluorescence: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - Caspase 11 antibody was tested in NIH-3T3 cells at a 1:100 dilution using a Dylight 488 conjugated secondary antibody (Green). Actin (Red) and DNA (Blue) were counterstained using Phalloidin 568 and DAPI. Image from the standard format of this antibody.




Immunohistochemistry: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - IHC-P analysis of a formalin fixed paraffin embedded tissue section of mouse lung using Caspase 11 antibody (clone 17D9) at 1:100 dilution. The antibody generated cytoplasmic signal with more intense staining in the bronchiolar epithelium while the stainin




Western Blot: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - analysis of Caspase 11 in LPS stimulated bone marrow derived macrophages using anti-Caspase 11 antibody. Image from verified customer review. Image from the standard format of this antibody.




Western Blot: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - Analysis of Caspase-11 in THP-1 cell lysates that were untreated (left lane) or treated (right lane) with 100 ng/ml LPS. Image from verified customer review. Image from the standard format of this antibody.




Western Blot: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - Casp11^{fl/fl} and Casp11^{EC-/-} mice (n = 3) were challenged with LPS (40 mg/kg i.p.) for 6 hours. Endothelial Cells were isolated from lungs, and western blot analysis was performed for pro-IL-1Beta, mature IL-1Beta, and caspase-1 cleavage. This image is from PMID: 28990935. Image from the standard format of this antibody.




Western Blot: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - Caspase-11 is expressed in Casp1Null bone marrow-derived macrophages. Immunoblot analysis of caspase-1, caspase-11 and GAPDH (loading control) in unprimed WT at various times (above lane) after stimulation with IFN-beta (250U/ml), IFN-gamma (100 ng/ml) or LPS (100 ng/ml). Data are representative of two independent experiments. Image collected and cropped by CiteAb from the following publication (<https://www.nature.com/articles/srep45126>), licensed under a CC-BY license. Image from the standard format of this antibody.



Western Blot: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - CNF1-triggered immunity requires inflammatory caspases. (A and B) IL-1beta production and maturation/secretion after treatment with CNF1, LPS or CNF1 (1 ug/ml) + LPS (100 ng/ml) for 10 h. Actin and BSA were used as loading controls. Image collected and cropped by CiteAb from the following publication (<https://dx.plos.org/10.1371/journal.ppat.1004732>), licensed under a CC-BY license. Image from the standard format of this antibody.



Western Blot: Caspase-11 Antibody (17D9) - Azide and BSA Free [NBP2-80612] - CNF1-triggered IL-1beta maturation requires activated Rac, ASC and caspase-1. Western blot analysis of the production and maturation/secretion of IL-1beta by primary macrophages following treatment with CNF1, LPS or CNF1+LPS for 10 h. Actin and BSA were used as loading controls. Image collected and cropped by CiteAb from the following publication (<https://dx.plos.org/10.1371/journal.ppat.1004732>), licensed under a CC-BY license. Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-80612

NBP3-11853	Jurkat Staurosporine Treated / Untreated Cell Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]
NB7115	Goat anti-Rat IgG (H+L) Secondary Antibody [HRP]
NBP2-21947-0.1mg	Rat IgG2a Isotype Control (2A3)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80612

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

