

Product Datasheet

Caspase-3 Antibody (31A893) - Azide and BSA Free NBP2-80613

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-80613

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-80613



NBP2-80613

Caspase-3 Antibody (31A893) - Azide and BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	31A893
Preservative	No Preservative
Isotype	IgG
Purity	Protein G purified
Buffer	PBS
Target Molecular Weight	31.7 kDa

Product Description	
Description	Novus Biologicals Mouse Caspase-3 Antibody (31A893) - Azide and BSA Free (NB100-56709) is a monoclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	836
Gene Symbol	CASP3
Species	Human
Immunogen	This Caspase-3 Antibody (31A893) - Azide and BSA Free was developed against recombinant full-length human Caspase-3 protein.


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 2 ug/ml, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin 5 ug/ml
Application Notes	For IHC-P validation of this target, 1M EDTA pH 9.0 buffer was used for antigen retrieval (citrate buffer pH 6.0 did not work).

Images


Western Blot: Caspase-3 Antibody (31A893) - Azide and BSA Free [NBP2-80613] - Analysis of Caspase-3 in Jurkat cells. Cells were treated with 2 uM staurosporine for different time periods. Caspase-3 activation is detected in Western blots by the presence of Caspase-3 cleavage fragments. These antibodies detect both pro (full-length) and active (cleaved) Caspase-3, depending on the treatment time points. A basal level of endogenous active Caspase-3 may be seen in untreated Jurkat cells. Image from the standard format of this antibody.




Immunocytochemistry/Immunofluorescence: Caspase-3 Antibody (31A893) - Azide and BSA Free [NBP2-80613] - Left panel: Untreated Jurkat cells were fixed for 10 minutes using 10% formalin and then permeabilized for 5 minutes using 1X PBS + 0.05% Triton X-100. The cells were incubated with Caspase-3 Antibody (31A893) at 10 ug/mL overnight at 4C and detected with an anti-Mouse IgG Dylight 488 (Green) at a 1:500 dilution. Nuclei were counterstained with DAPI (Blue). Cells were imaged using a 40X objective. Image from the standard format of this antibody.




Immunohistochemistry-Paraffin: Caspase-3 Antibody (31A893) - Azide and BSA Free [NBP2-80613] - Caspase-3 was detected in immersion fixed paraffin-embedded sections of human bladder tissue using 5 ug/mL of mouse monoclonal Caspase-3 Antibody (31A893) (NB100-56709, Novus Biologicals), for 1 hour at room temperature followed by anti-mouse IgG VisUCyte



Western Blot: Caspase-3 Antibody (31A893) - Azide and BSA Free [NBP2-80613] - Analysis for human Caspase-3 using HL60 lysates with Caspase-3 Antibody (31A893) at 2 ug/mL dilution. NB100-56709 only detects a 32 kD Caspase-3 corresponding to pro-Caspase-3. Image from the standard format of this antibody.



Immunohistochemistry: Caspase-3 Antibody (31A893) - Azide and BSA Free [NBP2-80613] - Tissue section of normal human breast using 5 ug/mL concentration of Caspase-3 Antibody (31A893). Very strong diffused as well as granular immunopositivity of Caspase 3 was observed specifically in the cytoplasmic of ductal /acinar epithelial cells. Image





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-80613

NBP3-11853	Jurkat Staurosporine Treated / Untreated Cell Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97019-5mg	Mouse IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80613

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

