

Product Datasheet

Glyoxalase I Antibody (Glo1a) - Azide and BSA Free NBP2-80755

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-80755

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-80755



NBP2-80755

Glyoxalase I Antibody (Glo1a) - Azide and BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	Glo1a
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	Protein G purified
Buffer	Tris-Glycine, 0.15 M NaCl
Target Molecular Weight	21 kDa


Product Description	
Description	Novus Biologicals Mouse Glyoxalase I Antibody (Glo1a) - Azide and BSA Free (NBP1-19015) is a monoclonal antibody validated for use in WB, ELISA, ICC/IF, Simple Western and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	2739
Gene Symbol	GLO1
Species	Human, Mouse
Immunogen	Full length human GLO1 protein [Swiss-Prot #Q04760].

Product Application Details	
Applications	Western Blot, Simple Western, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot, Simple Western 1:50, ELISA 0.15 ng / 1 ug protein, Immunocytochemistry/ Immunofluorescence 10 ug/ml, Immunoprecipitation reported in scientific literature
Application Notes	<p>In Western blot, a band is seen approx. 21 kDa.</p> <p>In Simple Western only 10 - 15 uL of the recommended dilution is used per data point.</p> <p>See Simple Western Antibody Database for Simple Western validation: antibody dilution of 1:50. Separated by Size-Wes, Sally Sue/Peggy Sue.</p> <p>The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.</p>




Images


Western Blot: Glyoxalase I Antibody (Glo1a) - Azide and BSA Free [NBP2-80755] - HeLa whole cell extracts. Image from the standard format of this antibody.



Immunocytochemistry/Immunofluorescence: Glyoxalase I Antibody (Glo1a) - Azide and BSA Free [NBP2-80755] - Immunostaining of human retinal endothelial cells. Immunoreactivity for hGlx-1 was detected in human retinal endothelial cells stained with Glo1a mAb using anti mouse IgG Texas Red as secondary Ab. The cells were counter stained with phalloidin (green) and DAPI (blue), nuclear stain. No reactivity was detected in control cells, stained without Go1a mAb. Figure is a representative of 3 independent experiments. Photo courtesy of Dr. Nagaraj, Case Western Reserve University. Image from the standard format of this antibody.




Western Blot: Glyoxalase I Antibody (Glo1a) - Azide and BSA Free [NBP2-80755] - Detection of GLO-1 in human cell lines. Lane 1,2 and 3: MG-63 osteosarcoma cell line (positive control), 402-91 liposarcoma cell line and 402-91 liposarcoma cell line resistant to trabectedine. This image was submitted via customer Review. Image from the standard format of this antibody.



Simple Western: Glyoxalase I Antibody (Glo1a) - Azide and BSA Free [NBP2-80755] - Simple Western lane view shows a specific band for GLO1 in 0.5 mg/ml of HeLa lysate. This experiment was performed under reducing conditions using the 12-230kDa separation system. * Non-specific interaction with the 230 kDa Simple Western standard may be seen with this antibody. Image from the standard format of this antibody.



Simple Western: Glyoxalase I Antibody (Glo1a) - Azide and BSA Free [NBP2-80755] - Simple Western lane view shows a specific band detected for GLO1 in HeLa lysate. This experiment was performed under reducing conditions using the Wes or Sally Sue separation system 12-230kDa (or 66-440kDa). Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-80755

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80755

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

