

# Product Datasheet

## rRNA Antibody (Y10b) - Azide and BSA Free NBP2-80932

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-80932](http://www.novusbio.com/NBP2-80932)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-80932](http://www.novusbio.com/reviews/destination/NBP2-80932)



**NBP2-80932**

rRNA Antibody (Y10b) - Azide and BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	Y10b
Preservative	No Preservative
Isotype	IgG3 Kappa
Purity	Protein A purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Mouse rRNA Antibody (Y10b) - Azide and BSA Free (NB100-662) is a monoclonal antibody validated for use in IHC, Flow, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Species	Human, Mouse, All Species, Bacteria
Reactivity Notes	This antibody reacts with all eukaryotes. Bacteria reactivity reported in scientific literature (PMID: 26134566).
Immunogen	The whole 5.8S ribosomal RNA.


Product Application Details	
Applications	Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation, CyTOF-ready
Recommended Dilutions	Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:2500, Immunoprecipitation 10 ul/lysate, Immunohistochemistry-Paraffin, Flow (Intracellular), CyTOF-ready
Application Notes	This rRNA Antibody (Y10b) is useful for Immunocytochemistry/Immunofluorescence and Immunoprecipitation. In ICC/IF, staining was observed in Ribosomes in the nucleoli and cytoplasm of Ntera2 cells.

**Images**


Immunocytochemistry/Immunofluorescence: rRNA Antibody (Y10b) - Azide and BSA Free [NBP2-80932] - Staining of rRNA in vero cells. Image from the standard format of this antibody.




**Immunohistochemistry: rRNA Antibody (Y10b) - Azide and BSA Free [NBP2-80932]** - Immunohistochemical staining of mouse neuronal progenitor culture using rRNA antibody (green). Image from verified customer review. Image from the standard format of this antibody.




**Flow Cytometry: rRNA Antibody (Y10b) - Azide and BSA Free [NBP2-80932]** - An intracellular stain was performed on HeLa cells with rRNA Antibody [Y10b] NB100-662B (blue) and a matched isotype control (orange). Both antibodies were directly conjugated to Biotin. Cells were fixed with 4% PFA and then permeabilized with 0.1% saponin. Cells were incubated in an antibody dilution of 5 ug/mL for 30 minutes at room temperature, followed by Streptavidin - R-Phycoerythrin Protein (2012-1000, Novus Biologicals).




**Immunocytochemistry/Immunofluorescence: rRNA Antibody (Y10b) - Azide and BSA Free [NBP2-80932]** - HeLa cells were fixed and permeabilized for 10 minutes using -20C MeOH. The cells were incubated with anti-rRNA (Y10b) conjugated to DyLight 488 [NB100-662G] at 5ug/ml for 1 hour at room temperature. Nuclei were counterstained with DAPI (Blue). Cells were imaged using a 40X objective.



**Immunocytochemistry/Immunofluorescence: rRNA Antibody (Y10b) - Azide and BSA Free [NBP2-80932]** - rRNA antibody was tested in Ntera-2 cells with DyLight 488 (green). Nuclei and alpha-tubulin were counterstained with DAPI (blue) and DyLight 550 (red). Image from the standard format of this antibody.



CytoTOF-ready: rRNA Antibody (Y10b) - Azide and BSA Free [NBP2-80932] - Human bone marrow after RBC lysis, stained with anti-CD16, fixed, permeabilized with methanol, stained with anti-lactoferrin 1C6 NB120-10109 and anti-rRNA Y10b NB100-662, and gated on myeloid cells per Nat Med. 2020. 26:408-417. CyTOF image submitted by a verified customer review. Image from the standard format of this antibody.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-80932**

---

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-96978	Mouse IgG3 Kappa Light Chain Isotype Control (MG3K)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-80932](http://www.novusbio.com/reviews/submit/NBP2-80932)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

