

Product Datasheet

TXNIP Antibody (JY2) - Azide and BSA Free NBP2-81001

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-81001

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-81001



NBP2-81001

TXNIP Antibody (JY2) - Azide and BSA Free

| Product Information | |
|---------------------|--|
| Unit Size | 0.1 mg |
| Concentration | 1 mg/ml |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | JY2 |
| Preservative | No Preservative |
| Isotype | IgG1 |
| Purity | Protein A or G purified |
| Buffer | PBS |


| Product Description | |
|---------------------|--|
| Description | Novus Biologicals Knockout (KO) Validated Mouse TXNIP Antibody (JY2) - Azide and BSA Free (NBP1-54578) is a monoclonal antibody validated for use in IHC, WB, Flow, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Mouse |
| Gene ID | 10628 |
| Gene Symbol | TXNIP |
| Species | Human, Mouse, Rat |
| Reactivity Notes | Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. |
| Immunogen | Human recombinant TXNIP |

| Product Application Details | |
|-----------------------------|---|
| Applications | Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation, Proximity Ligation Assay, CyTOF-ready, Knockout Validated |
| Recommended Dilutions | Western Blot 1:1000, Flow Cytometry 2-5 ug/0.1x10 ⁶ cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation 5x10 ⁶ cells, Immunohistochemistry-Paraffin 1:100-1:500, Immunohistochemistry-Frozen reported by customer review, Proximity Ligation Assay, CyTOF-ready, Knockout Validated |




Images


Western Blot: TXNIP Antibody (JY2) - Azide and BSA Free [NBP2-81001] - TXNIP expression in Raji (1), K562 (2), KG1 (3), MRC5 (4), IC2Tr (5), HEL (6), P19 (7) and WR19L (8). Image from the standard format of this antibody.




Immunocytochemistry: TXNIP Antibody (JY2) - Azide and BSA Free [NBP2-81001] - Formalin fixed and paraffin embedded tissue section of mouse kidney using TXNIP antibody (clone JY2) at 1:250 dilution. The signal was developed using HRP-conjugated secondary antibody and DAB reagent which followed counterstaining of the cell nuclei with



Immunohistochemistry: TXNIP Antibody (JY2) - Azide and BSA Free [NBP2-81001] - Formalin fixed and paraffin embedded tissue section of mouse kidney using TXNIP antibody (clone JY2) at 1:100 dilution. The signal was developed using HRP-conjugated secondary antibody and DAB reagent which followed counterstaining of the cell nuclei with




Flow Cytometry: TXNIP Antibody (JY2) - Azide and BSA Free [NBP2-81001] - An intracellular stain was performed on RH-30 cells with TXNIP (JY2) Antibody NBP1-54578F (blue) and a matched isotype control (orange). Cells were fixed with 4% PFA and then permeabilized with 0.1% saponin. Cells were incubated in an antibody dilution of 5 ug/mL for 30 minutes at room temperature. Both antibodies were directly conjugated to FITC.




Western Blot: TXNIP Antibody (JY2) - Azide and BSA Free [NBP2-81001] - Hepa1 lysates probed with anti-TXNIP (JY2) at 1:2K. Cells were transfected with either empty vector or mouse TXNIP expression vector (MYC/DDK tagged). 30ug protein per lane. Image from verified customer review. Image from the standard format of this antibody.



Immunohistochemistry: TXNIP Antibody (JY2) - Azide and BSA Free [NBP2-81001] - TXNIP in mouse brain. Antibody dilution: 1:100, incubated overnight in 5%BSA + 0.2% Triton X 100. Image from verified customer review. Image from the standard format of this antibody.



Immunoprecipitation: TXNIP Antibody (JY2) - Azide and BSA Free [NBP2-81001] - Txnip/VDUP1 from Raji with NBP1-54578 (1) or mouse IgG1 (2). Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-81001

| | |
|------------------|--|
| NBP2-33376H | Blue Marker Antibody (6F4-F6) [HRP] |
| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |
| NB7539 | Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP] |
| NBP1-97005-0.5mg | Mouse IgG1 Isotype Control (MG1) |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81001

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

