

Product Datasheet

TRAF7 Antibody - Azide and BSA Free NBP2-93316-0.1ml

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-93316

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-93316



NBP2-93316-0.1ml

TRAF7 Antibody - Azide and BSA Free


| Product Information | |
|---------------------|---|
| Unit Size | 0.1 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.01% Thimerosal |
| Isotype | IgG |
| Purity | Affinity purified |
| Buffer | PBS (pH 7.3), 50% glycerol |

| Product Description | |
|---------------------|---|
| Description | Novus Biologicals Rabbit TRAF7 Antibody - Azide and BSA Free (NBP2-93316) is a polyclonal antibody validated for use in WB. Anti-TRAF7 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Rabbit |
| Gene ID | 84231 |
| Gene Symbol | TRAF7 |
| Species | Human |
| Immunogen | Recombinant fusion protein containing a sequence corresponding to amino acids 260-400 of human TRAF7 (NP_115647.2). PHSKYGCTFIGNQDTYETHLETCTRFEGFLKEFLQQTDDRFHEMHHVALAQQDQEI AFLRSMLGKLSEKIDQLEKSLELKFVDLDENQSKLSEDLMEFRRDASMLNDELS HINARLNMGILGSYDPQQIFKCKGTFVGHQGPVW |

| Product Application Details | |
|-----------------------------|---------------------------|
| Applications | Western Blot |
| Recommended Dilutions | Western Blot 1:500-1:2000 |

Images

Western Blot: TRAF7 Antibody [NBP2-93316] - Analysis of extracts of various cell lines, using TRAF7 at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit . Exposure time: 15s.



Publications

Clara M. Herrera, Eleanor McMahon, Danielle L. Swaney, Jessica Sherry, Khavong Pha, Kathleen Adams-Boone, Jeffrey R. Johnson, Nevan J. Krogan, Meredith Stevers, David Solomon, Cherilyn Elwell, Joanne Engel, Brian Conlon
The *Chlamydia trachomatis* Inc Tri1 interacts with TRAF7 to displace native TRAF7 interacting partners *Microbiology Spectrum* 2024-07-01 [PMID: 38814079]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-93316-0.1ml

| | |
|-------------|---|
| NBP2-33376H | Blue Marker Antibody (6F4-F6) [HRP] |
| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-93316

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

