

Product Datasheet

Smad2 [p Ser465, p Ser467] Antibody NBP3-13273

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-13273

Updated 9/25/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-13273



NBP3-13273

Smad2 [p Ser465, p Ser467] Antibody

Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.025% Proclin 300
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS, 1% BSA, 20% Glycerol
Target Molecular Weight	52 kDa


Product Description	
Description	Centrifuge briefly prior to opening.
Host	Rabbit
Gene ID	4087
Gene Symbol	SMAD2
Species	Human, Mouse
Immunogen	Carrier-protein conjugated synthetic peptide surrounding phospho Ser465/Ser467 of human Smad2. The exact sequence is proprietary.

Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 1:500-1:3000, Flow Cytometry, Immunocytochemistry/ Immunofluorescence 1:100-1:1500
Application Notes	FACS Assay dependent




Images


Western Blot: Smad2 [p Ser465, p Ser467] Antibody [NBP3-13273] - Untreated (-) and treated (+) MCF-7 whole cell extract (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with Smad2 (phospho Ser465/Ser467) antibody (NBP3-13273) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: Smad2 [p Ser465, p Ser467] Antibody [NBP3-13273] - Smad2 (phospho Ser465/Ser467) antibody detects Smad2 (phospho Ser465/Ser467) protein at nucleus by immunofluorescent analysis. Sample: Mock and treated HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: Smad2 (phospho Ser465/Ser467) stained by Smad2 (phospho Ser465/Ser467) antibody (NBP3-13273) diluted at 1:1500. Red: phalloidin, a cytoskeleton marker, diluted at 1:100. Scale bar= 10 um.



Untreated (-) and treated (+) HeLa whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with SMAD2 (phospho Ser465/Ser467) antibody (NBP3-13273) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



Untreated (-) and treated (+) NIH-3T3 whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with SMAD2 (phospho Ser465/Ser467) antibody (NBP3-13273) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-13273

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBC1-25856-0.1mg	Recombinant Human Smad2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13273

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

