

# Product Datasheet

## Optineurin Antibody (S01-2C5)

### NBP3-19900-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP3-19900](http://www.novusbio.com/NBP3-19900)

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP3-19900](http://www.novusbio.com/reviews/destination/NBP3-19900)



**NBP3-19900-100ul**

Optineurin Antibody (S01-2C5)


Product Information	
Unit Size	100 ul
Concentration	0.3 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	S01-2C5
Preservative	0.01% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.05% BSA
Target Molecular Weight	75 kDa

Product Description	
Description	Novus Biologicals Rabbit Optineurin Antibody (S01-2C5) (NBP3-19900) is a recombinant monoclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10133
Gene Symbol	OPTN
Species	Human
Immunogen	Recombinant protein of human Optineurin (Uniprot # Q96CV9)


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1/1000, Immunohistochemistry 1/50, Immunohistochemistry-Paraffin

**Images**


Western Blot: Optineurin Antibody (S01-2C5) [NBP3-19900] - Western blot detection of Optineurin in HeLa, A549, HL-60, U2OS, U87-MG cell lysates using NBP3-19900 (1:1000 diluted). Predicted band size: 66kDa. Observed band size: 75kDa.




Immunohistochemistry-Paraffin: Optineurin Antibody (S01-2C5) [NBP3-19900] - Immunohistochemistry of Optineurin in paraffin-embedded Human Cholangiocarcinoma using NBP3-19900 at dilution 1/50




Western blot shows lysates of U2OS and Optineurin knockout U2OS cell line (KO). Nitrocellulose membrane was probed with Optineurin Antibody (Catalog # NBP3-19900) O/N at 4C, followed by HRP-conjugated Secondary Antibody and ECL detection. A specific band was detected for Optineurin (as indicated) in the parental U2OS cell line, but is not detectable in knockout U2OS cell line. Primary antibody dilution used: 1/1000. The Ponceau stained transfers of each blot are shown. Image, protocol and testing courtesy of YCharOS Inc. (ycharos.com).



U2OS lysates were prepared, and immunoprecipitation was performed using 2.0 ug of Optineurin antibody (Catalog # NBP3-19900) pre-coupled to Dynabeads protein A. Samples were washed and processed for Western Blot with Optineurin antibody. For Western Blot, Rb x Optineurin was used at 1/1000. The Ponceau stained transfers of each blot are shown. SM=4% starting material; UB=4% unbound fraction; IP=immunoprecipitate. Image, protocol and testing courtesy of YCharOS Inc. (ycharos.com).



U2OS WT and Optineurin KO cells were labelled with a green or a far-red fluorescent dye, respectively. Cells were stained with Optineurin antibody and with the corresponding Alexa-fluor 555 coupled secondary antibody including DAPI. Acquisition of the blue (nucleus-DAPI), green (identification of WT cells), red (antibody staining) and far-red (identification of KO cells) channels was performed. Representative images of the blue and red (grayscale) channels are shown. WT and KO cells are outlined with green and magenta dashed line, respectively. Antibody dilution used: 1/300. Bars = 10um. Image, protocol and testing courtesy of YCharOS Inc. (ycharos.com).





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP3-19900-100ul**

---

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP3-19900](http://www.novusbio.com/reviews/submit/NBP3-19900)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

