

Product Datasheet

GPRC5D Antibody (12) - Azide and BSA Free NBP3-26100

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-26100

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-26100



NBP3-26100**GPRC5D Antibody (12) - Azide and BSA Free**

Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	12
Preservative	No Preservative
Isotype	IgG2b
Purity	Protein A purified
Buffer	0.2 um filtered solution in PBS


Product Description	
Description	Novus Biologicals Mouse GPRC5D Antibody (12) - Azide and BSA Free (NBP3-26100) is a monoclonal antibody validated for use in ELISA and Flow. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	55507
Gene Symbol	GPRC5D
Species	Human
Immunogen	This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Human GPRC5D.

Product Application Details	
Applications	ELISA, Flow Cytometry
Recommended Dilutions	Flow Cytometry 1:25-1:100, ELISA 1:1000-1:2000




Images

ELISA: GPRC5D Antibody (12) - Azide and BSA Free [NBP3-26100] - Measured by its binding ability in a functional ELISA. Immobilized Human GPRC5D-VLP protein at 5 ug/mL (100 uL/well) can bind NBP3-26100, the EC50 is 0.5-5 ng/mL. The VLP isotype control Protein is the negative control.



Flow Cytometry: GPRC5D Antibody (12) [NBP3-26100] - Flow cytometric analysis of Human GPRC5D expression on CHO-K1-transfected cells were stained with NBP3-26100, then a FITC-conjugated second step antibody. The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-26100

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)
H00055507-Q01-10ug	Recombinant Human GPRC5D GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26100

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

