Product Datasheet

Cytokeratin 19 Antibody (9V2F4)
NBP3-57389-100ul

Unit Size: 100 ul


Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-57389

Updated 9/28/2026 v.20.1

Earn rewards for product reviews and publications.
Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-57389



NBP3-57389-100ul

Cytokeratin 19 Antibody (9V2F4)

Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	9V2F4
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 50% glycerol, 0.05% BSA, (pH 7.3)

Product Description	
Description	This antibody is highly specific and optimized for use in Immunohistochemistry. **Normal Tissues Tested** Pancreas, Lung, Tonsil, Cervix, Placenta, Colon, Kidney, Spleen, Liver, esophagus **Cancer Tissues Tested** Breast cancer, Colon cancer, Thyroid cancer, Hepatocellular Carcinoma, Hepatocholangio carcinoma, Lung adenocarcinoma, Lung squamous carcinoma **Positive Controls** Thyroid (Glandular cells), colon (epithelial cells), Hepatocholangio carcinoma, Liver (Cholangiocytes), Tonsil (epithelial cells) **Negative Controls** Hepatocellular Carcinoma, Spleen, Liver (Hepatocytes)Colon (Endothelial cells, Fibroblasts), Tonsil (leukomonocyte, Fibroblasts)
Host	Rabbit
Gene ID	3880
Gene Symbol	KRT19
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide. This information is considered to be commercially sensitive. (Swissprot# P08727)

Product Application Details	
Applications	Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/ Immunofluorescence, Intracellular Staining by Flow Cytometry
Recommended Dilutions	ELISA 1 ug/mL, Immunocytochemistry/ Immunofluorescence 1:200 - 1:800, Immunohistochemistry-Paraffin 1:5000 - 1:20000, Intracellular Staining by Flow Cytometry 1:1000 - 1:5000
Application Notes	For immunofluorescence on paraffin-embedded tissues, the recommended concentration is 1:200 - 1:800

Novus Biologicals USA
10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada
21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd
19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information
www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations
This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-57389

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications