Product Datasheet

Thymopoietin/LAP2 Antibody [Biotin]
NBP3-63891

Unit Size: 100 ul


Store at 4C in the dark.

www.novusbio.com technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-63891

Updated 11/11/2026 v.20.1

Earn rewards for product reviews and publications.
Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-63891



NBP3-63891

Thymopoietin/LAP2 Antibody [Biotin]

Product Information

Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Conjugate	Biotin
Purity	Affinity purified
Buffer	40% glycerol and PBS (pH 7.2).

Product Description

Description	This conjugate is made on demand and is not held in inventory. As a result, each order represents a unique lot. Successful site-specific biotin conjugation is confirmed by reducing SDS-PAGE, revealing a mobility shift of the antibody heavy-chain when biotin is covalently attached. Free biotin from the conjugation process has been removed. The antibody concentration is provided on the individual product label. For specialized conjugation needs, like large quantities, and specific concentrations, bulk and custom antibody conjugation services are available.
Host	Rabbit
Gene ID	7112
Gene Symbol	TMPO
Species	Human, Mouse, Rat
Marker	Inner-nuclear Membrane Marker
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: VNPGPIVGTTRKLYEKKLLKLREQGTESRSSTPLPTISSSAENTRQNGSNDSDR YSDNEEDSKIELKLEKREPLKGRAKTPVTLKQRRVEHNQSYSQAGITETEWTS GSSKGGPLQALTRESTRGSRRTPRKRVETSE

Product Application Details

Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500
Application Notes	Recommended applications and dilutions are based on validated applications from the unconjugated base product NBP1-87822

Novus Biologicals USA
10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada
21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd
19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information
www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-63891

NBP2-24891B	Rabbit IgG Isotype Control [Biotin]
NBP3-21339PEP	Thymopoietin/LAP2 Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]
NBL1-17119	Thymopoietin/LAP2 Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-63891

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications