

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human PD-ECGF/Thymidine Phosphorylase in direct ELISAs and Western blots.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	<i>S. frugiperda</i> insect ovarian cell line Sf 21-derived recombinant human PD-ECGF/Thymidine Phosphorylase Ala11-Gln482 Accession # P19971
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Neutralization	Optimal dilution of this antibody should be experimentally determined.
Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

PD-ECGF, also known as TPase and gliostatin, is produced by placenta, platelets, liver, lung, spleen, lymph nodes, and peripheral lymphocytes. It is overexpressed by many tumors in response to chemical or physical stress. PD-ECGF promotes endothelial cell proliferation and chemotaxis and promotes angiogenesis. PD-ECGF is a key enzyme in the pyrimidine nucleoside salvage pathway. It also metabolizes and inactivates chemotherapeutic drugs such as 5-fluorouracil and its derivatives. The human PD-ECGF cDNA encodes a 482 amino acid (aa) polypeptide with a 10 aa propeptide. The protein is localized mostly within the producer cells. N-terminal truncation, resulting in proteins lacking 10 aa and 6 aa, has been observed in PD-ECGF purified from platelets and placenta, respectively. In solution, PD-ECGF exists as a non-disulfide linked homodimer. The latter protein was purified from quiescent astrocytes and described as an astrocyte and astrocytoma cell growth inhibitor based on its ability to inhibit ³H-thymidine incorporation.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc., and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.