

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human ADAMTS1 Propeptide in direct ELISAs and Western blots. In direct ELISAs, less than 5% cross-reactivity with mature recombinant human ADAMTS1 is observed.
Source	Polyclonal Goat IgG
Purification	Antigen Affinity-purified
Immunogen	Mouse myeloma cell line NS0-derived recombinant human ADAMTS1 Leu50-Arg252 Accession # Q9UHI8
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.
Immunoprecipitation	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

ADAMTS1 (a disintegrin and metalloproteinase with thrombospondin motifs 1), also known as METH1, is the founding member of the family of secreted zinc proteases with a multi-domain structure (1-3). The protein precursors consist of signal peptide and following domains: pro, catalytic, disintegrin-like, TS type 1 motif, cysteine-rich, spacer and a variable number of TS type 1 motifs. Based on their substrate specificity, ADAMTS1 and associated family members may be key enzymes in degradation of cartilage leading to inflammation and arthritis (4). It is an active protease cleaving α-2-macroglobulin (5), aggrecan (6), and versican (7). Compared to ADAMTS4 (aggrecanase 1) and ADAMTS5 (aggrecanase 2), the aggrecanase activity of ADAMTS1 is lower. However, its activity can be enhanced by the binding of cofactor such as fibulin-1 (8). The aggrecanase activity can be inhibited using 5 mM 1,10 Phenanthroline. ADAMTS1 is essential for normal growth and the structure and function of the kidneys, adrenal glands and female reproductive organs (9). It also plays an important role in atherosclerosis (10). It has been shown to inhibit endothelial cell proliferation by direct binding and sequestration of VEGF₁₆₅ and to inhibit fibroblast migration at high concentrations by binding to FGF-2 (11, 12). The purified rhADAMTS1 starts at the N-terminus of the catalytic domain and ends in the beginning of the spacer region.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.