

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human MAP4K5 in direct ELISAs and Western blots.
Source	Polyclonal Sheep IgG
Purification	Antigen Affinity-purified
Immunogen	<i>E. coli</i> -derived recombinant human MAP4K5 Lys395-Asn484 (Asn473Lys) Accession # Q9Y4K4
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

MAP4K5 (MAP Kinase Kinase Kinase Kinase 5; also known as KHS, MEKKK5, and GCKR) is a 94-96 kDa member of the STE (STerile 20 protein) subfamily, STE Ser/Thr protein kinase family, protein kinase superfamily of enzymes. It is ubiquitously expressed, and serves as an "intermediary" between GPCRs and cytosolic MAP kinases. It also interacts with Crk (CT10 Regulator of Kinase)-related adaptor molecules, facilitating the formation of signaling complexes around Tyr phosphorylated molecules. And finally, it represents an upstream component of a TNFR1 signaling pathway that requires activation of stress-activated protein kinases. Human MAP4K5 is 846 amino acids (9aa) in length. It contains a 258 aa kinase domain (aa 20-277) that is coupled to a 316 aa CNH (citron homology) domain (aa 506-826) which typically binds GTPases. There are two isoform variants. One shows a deletion of both Pro481 and Glu569, while another possesses a substitution of 16 aa for aa 569-846. Over aa 395-484, human MAP4K5 shares 83% aa sequence identity with mouse MAP4K5.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.