

Product Name: GC 1

Catalog No.: 4554


Batch No.: 9

CAS Number: 211110-63-3

IUPAC Name: 2-[4-[[4-Hydroxy-3-(1-methylethyl)phenyl]methyl]-3,5-dimethylphenoxy]acetic acid

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₀H₂₄O₄
Batch Molecular Weight: 328.4
Physical Appearance: Off-white solid
Solubility: DMSO to 50 mM
 ethanol to 50 mM
Storage: Store at -20°C
Batch Molecular Structure:



2. ANALYTICAL DATA

HPLC: Shows 99.4% purity
¹H NMR: Consistent with structure
Mass Spectrum: Consistent with structure

Microanalysis:

	Carbon	Hydrogen	Nitrogen
Theoretical	73.15	7.37	0
Found	73.28	7.26	0.1

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: GC 1

Catalog No.: 4554

9

CAS Number: 211110-63-3

IUPAC Name: 2-[4-[[4-Hydroxy-3-(1-methylethyl)phenyl]methyl]-3,5-dimethylphenoxy]acetic acid

Description:

GC 1 is a thyromimetic; high affinity agonist at thyroid hormone receptor (TR) β and TR α receptors (K_D values are 67 and 440 pM respectively). Displays 5- and 100-fold greater potency than the endogenous agonist T₃ in vitro at TR α ₁ and TR β ₁ receptors respectively. Promotes reverse cholesterol transport in chow- and fat-fed mice. Induces proliferation of hepatocytes and pancreatic acinar cells in rats independent of prior tissue injury.

Physical and Chemical Properties:


Batch Molecular Formula: C₂₀H₂₄O₄

Batch Molecular Weight: 328.4

Physical Appearance: Off-white solid

Minimum Purity: \geq 98%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 50 mM

ethanol to 50 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Columbano *et al* (2006) The thyroid hormone receptor- β agonist GC-1 induces cell proliferation in rat liver and pancreas. *Endocrinology* **147** 3211. PMID: 16574785.

Johansson *et al* (2005) Selective thyroid receptor modulation by GC-1 reduces serum lipids and stimulates steps of reverse cholesterol transport in euthyroid mice. *Proc.Natl.Acad.Sci. U S A* **102** 10297. PMID: 16006512.

Chiellini *et al* (1998) A high-affinity subtype-selective agonist ligand for the thyroid hormone receptor. *Chem.Biol.* **5** 299. PMID: 9653548.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel:+1 612 379 2956