

Product Datasheet

GRAP Antibody NB100-800

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 7

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-800

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-800



NB100-800

GRAP Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

Product Description	
Description	Novus Biologicals Goat GRAP Antibody (NB100-800) is a polyclonal antibody validated for use in WB and ELISA. Anti-GRAP Antibody: Cited in 7 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	10750
Gene Symbol	GRAP
Species	Human
Immunogen	Peptide with sequence C-GFFPRSYVQPVHL corresponding to C-Terminus according to NP_006604.1.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.3 - 1 ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Approx. 26 kDa band observed in human thymus lysates (calculated MW of 25.3 kDa band according to NP_006604.1).

Images

Western Blot: GRAP Antibody [NB100-800] - (0.3ug/ml) staining of human thymus lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa

Publications

McIntosh AL, Storey SM, Atshaves BP. Intracellular lipid droplets contain dynamic pools of sphingomyelin: ADRP binds phospholipids with high affinity. *Lipids* 2010-06-01 [PMID: 20473576]

Guo H, Kazadaeva Y, Ortega FE et al. Trinucleotide repeat containing 6c (TNRC6c) is essential for microvascular maturation during distal airspace sacculation in the developing lung *Dev. Biol.* 2017-08-12 [PMID: 28811219]

Cottrell GS, Soubrane CH, Hounshell JA et al. CACHD1 is an $\alpha 2\delta$ -like protein that modulates CaV3 voltage-gated calcium channel activity. *J. Neurosci.* 2018-09-04 [PMID: 30181139]

Dehghan E, Zhang Y, Saremi B et al. Hydralazine induces stress resistance and extends *C. elegans* lifespan by activating the NRF2/SKN-1 signalling pathway. *Nat Commun.* 2017-12-20 [PMID: 29263362]

Zampetidis CP, Galanos P, Angelopoulou A Et al. A recurrent chromosomal inversion suffices for driving escape from oncogene-induced senescence via subTAD reorganization *Molecular cell* 2021-11-12 [PMID: 34793711]

Fathi A, Rasouli H, Yeganeh M et al. Efficient differentiation of human embryonic stem cells toward dopaminergic neurons using recombinant LMX1A factor. *Mol Biotechnol* 2015-02-01 [PMID: 25380985] (Human)

Feng GS, Ouyang YB, Hu DP et al. Grap is a novel SH3-SH2-SH3 adaptor protein that couples tyrosine kinases to the Ras pathway. *J Biol Chem* 1996-05-24 [PMID: 8647802]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-800

NB800-PC2	Jurkat Whole Cell Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-800

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



