

Product Datasheet

CCR3 Antibody - BSA Free

NBP1-77065

Unit Size: 0.1 mg

Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-77065

Updated 3/4/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-77065



NBP1-77065

CCR3 Antibody - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Peptide affinity purified
Buffer	PBS
Target Molecular Weight	52 kDa


Product Description	
Host	Rabbit
Gene ID	1232
Gene Symbol	CCR3
Species	Human, Mouse, Rat
Specificity/Sensitivity	At least three isoforms of CCR3 are known to exist; this antibody will detect all three isoforms.
Immunogen	Antibody was raised against a 14 amino acid synthetic peptide from near the carboxy terminus of human CCR3. The immunogen is located within the last 50 amino acids of CCR3. Amino Acid Squence: PSEKLERTSSVSPS

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1-2 ug/ml, ELISA 1:100-1:2000, Immunohistochemistry 10 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry-Paraffin 10 ug/ml




Images


Western Blot: CCR3 Antibody [NBP1-77065] - Human spleen tissue lysates with CCR3 antibody at 1 (lane 1) and 2 ug/ml (lane 2), and 2 ug/ml in the presence of blocking peptide (lane 3).



Immunohistochemistry-Paraffin: CCR3 Antibody [NBP1-77065] - Human spleen tissue with CCR3 antibody at 10 ug/ml.



Immunocytochemistry/ Immunofluorescence: CCR3 Antibody - BSA Free [NBP1-77065] - Immunofluorescence of CCR3 in Human Spleen tissue with CCR3 antibody at 20 ug/mL.



Publications

Pawlik K, Ciapa?a K, Ciechanowska A et al. Pharmacological Evidence of the Important Roles of CCR1 and CCR3 and Their Endogenous Ligands CCL2/7/8 in Hypersensitivity Based on a Murine Model of Neuropathic Pain Cells 2022-12-26 [PMID: 36611891]

Claypoole SM, Frank JA, Messmer SJ et Al. CCR3 Expression in Relation to Delayed Microbleeds in a Rat Model of Large Vessel Occlusion J Exp Neurol 2024-02-01 [PMID: 38332938]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-77065

NBP1-77065PEP	CCR3 Antibody Blocking Peptide
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-77065

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

