

Product Datasheet

NDRG2 Antibody - BSA Free

NBP1-81424

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-81424

Updated 3/4/2026 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-81424



NBP1-81424

NDRG2 Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Target Molecular Weight	41 kDa

Product Description


Host	Rabbit
Gene ID	57447
Gene Symbol	NDRG2
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in the scientific literature (PMID: 26380811).
Immunogen	This antibody was developed against Recombinant Protein corresponding to amino acids: TGLTSSIPEMILGHLFSQEELSGNSELIQKYRNIITHAPNLDNIELYWNSYNNRRD LNFERGGDITLRCPVMLVVGDAQPHEDAVVECNKLDPTQTSFLKMADSGGQ P

Product Application Details


Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.04 - 0.4 ug/ml, Immunohistochemistry 1:2500 - 1:5000, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:2500 - 1:5000
Application Notes	WB reported in scientific literature (PMID: 26380811). For IHC-Paraffin, HIER pH 6 retrieval is recommended. ICC/IF Fixation Permeabilization: Use PFA/Triton X-100.

Images


Immunohistochemistry-Paraffin: NDRG2 Antibody [NBP1-81424] - Analysis in human salivary gland and pancreas tissues using NBP1-81424 antibody. Corresponding NDRG2 RNA-seq data are presented for the same tissues.




Western Blot: NDRG2 Antibody [NBP1-81424] - Analysis in human liver tissue.




Immunocytochemistry/Immunofluorescence: NDRG2 Antibody [NBP1-81424] - Staining of human cell line U-251 MG shows localization to nucleoplasm, cytosol and microtubule organizing center. Antibody staining is shown in green.




Immunohistochemistry-Paraffin: NDRG2 Antibody [NBP1-81424] - Staining of human pancreas shows weak cytoplasmic positivity in exocrine glandular cells as expected.




Immunohistochemistry-Paraffin: NDRG2 Antibody [NBP1-81424] - Staining of human salivary gland shows strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: NDRG2 Antibody [NBP1-81424] - Staining of human breast shows strong cytoplasmic positivity in glandular cells.




Immunohistochemistry-Paraffin: NDRG2 Antibody [NBP1-81424] - Staining of human cerebral cortex shows strong cytoplasmic positivity in neuropil and glial cells.



Immunohistochemistry-Paraffin: NDRG2 Antibody [NBP1-81424] - Staining of human skeletal muscle shows moderate cytoplasmic positivity in myocytes.



Immunohistochemistry-Paraffin: NDRG2 Antibody [NBP1-81424] - Staining of human kidney shows moderate cytoplasmic positivity in cells in glomeruli.



Publications

Anderson KJ, Russell AP, Foletta VC. NDRG2 promotes myoblast proliferation and caspase 3/7 activities during differentiation, and attenuates hydrogen peroxide - But not palmitate-induced toxicity. FEBS Open Bio 2015-01-01 [PMID: 26380811] (WB, Mouse)

Stadler C, Rexhepaj E, Singan VR et al. Immunofluorescence and fluorescent-protein tagging show high correlation for protein localization in mammalian cells. Nat Methods 2013-04-01 [PMID: 23435261]

Tepel M, Roerig P, Wolter M et al. Frequent promoter hypermethylation and transcriptional downregulation of the NDRG2 gene at 14q11.2 in primary glioblastoma. Int J Cancer 2008-11-01 [PMID: 18709645]

Mulder J, Bjorling E, Jonasson K et al. Tissue Profiling of the Mammalian Central Nervous System Using Human Antibody-based Proteomics. Mol Cell Proteomics 2009-07-01 [PMID: 19351664]

Schilling SH, Hjelmeland AB, Radloff DR et al. NDRG4 Is Required for Cell Cycle Progression and Survival in Glioblastoma Cells. J Biol Chem 2009-09-11 [PMID: 19592488]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-81424

NBP1-81424PEP	NDRG2 Recombinant Protein Antigen
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-81424

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

