

Product Datasheet

hnRNP K Antibody (N10 P2D3*G2) - BSA Free NBP2-50424

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-50424

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-50424



NBP2-50424


hnRNP K Antibody (N10 P2D3*G2) - BSA Free

Product Information	
Unit Size	0.1 ml
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	N10 P2D3*G2
Preservative	0.02% Sodium Azide
Isotype	IgG1 Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Description	Novus Biologicals Mouse hnRNP K Antibody (N10 P2D3*G2) - BSA Free (NBP2-50424) is a monoclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	3190
Gene Symbol	HNRNPK
Species	Human
Reactivity Notes	Immunogen peptide sequence is common to mouse, rat, rabbit, chicken, sheep, dog, pig, horse.
Immunogen	Ovalbumin-conjugated synthetic peptide SVKQYSGKFF (C-terminal sequence)
Product Application Details	
Applications	Western Blot, Immunohistochemistry
Recommended Dilutions	Western Blot 1:100 - 1:2000, Immunohistochemistry 1:10 - 1:500
Application Notes	Positive control(s): IHC - formalin-fixed, paraffin-embedded colorectal cancer sections; WB - Jurkat cell lysate.




Images

Western Blot: hnRNP K Antibody (N10 P2D3G2) [NBP2-50424] - Detection of hnRNP K isoform 1, a strong band at 51 kDa is observed.



Immunohistochemistry: hnRNP K Antibody (N10 P2D3G2) [NBP2-50424] - Staining of formalin-fixed, paraffin-embedded tissue sections. Strong nuclear immunostaining was observed in normal skin (A). Nuclear and cytoplasmic immunostaining was observed in breast carcinoma (B). This is in agreement with existing literature as hnRNPK shows aberrant localisation in tumours.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-50424

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-50424

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

