

Product Datasheet

Goat F(ab')₂ anti-Mouse IgG F(ab')₂ Secondary Antibody [FITC] (Pre-adsorbed) NBP2-61929F-0.5ml

Unit Size: 0.5 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-61929F

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-61929F



NBP2-61929F-0.5mlGoat F(ab')₂ anti-Mouse IgG F(ab')₂ Secondary Antibody [FITC] (Pre-adsorbed)

Product Information	
Unit Size	0.5 ml
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Conjugate	FITC
Purity	Immunogen affinity purified
Buffer	Phosphate Buffered Saline (PBS) containing 0.2% BSA.
Product Description	
Host	Goat
Species	Mouse
Reactivity Notes	Mouse. Minimum reactivity to human and rat.
Specificity/Sensitivity	Antiserum was solid phase adsorbed to ensure class specificity. Antiserum was cross adsorbed using human and rat immunosorbents to remove cross reactive antibodies. The antibody to mouse F(ab') ₂ was isolated by affinity chromatography using antigen coupled to agarose beads. F(ab') ₂ fragments were generated using a pepsin digestion. Fc fragments and whole IgG molecules have been removed. Fragments were conjugated to DyLight fluorescein isothiocyanate (FITC). Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG. By immunoelectrophoresis and ELISA this antibody reacts specifically with mouse F(ab') ₂ . No antibody was detected against non-immunoglobulin serum proteins. Less than 1% cross reactivity to human and rat F(ab') ₂ was detected. This antibody may cross react with F(ab') ₂ from other species.
Immunogen	Mouse IgG-F(ab') ₂ Fragment
Product Application Details	
Applications	Flow Cytometry, Immunohistochemistry, Immunocytochemistry, Immunofluorescence
Recommended Dilutions	Flow Cytometry 1:50 - 1:200, Immunohistochemistry 1:50 - 1:500, Immunofluorescence 1:50 - 1:500, Immunocytochemistry 1:50 - 1:500



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-61929F-0.5ml

NBP1-96816	Donkey IgG F(ab') ₂ Isotype Control [Biotin]
------------	---

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-61929F

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

